



HP1™  
HOOK POTENTIAL

# Squad RG™ Clear Poly



## CORE.

Inside, you will find the most simple form of a core in terms of core technology. The traditional 3-Piece Core is common in most every polyester ball on the market.

### 3-Piece Core (A.K.A. - Pancake)



	<b>16lb</b>	<b>15lb</b>	<b>14lb</b>	<b>13lb</b>	<b>12lb</b>
RG VALUE:	2.69	2.69	2.69	2.71	2.72
RG DIFFERENTIAL:	0.006	0.006	0.006	0.005	0.005

## COVER.

On the outside, you will find a clear polyester coverstock that will provide little to no change of direction to friction. Making it ideal for going straight at your spares.

Factory Finish: *3500-grit Polished*

Flare Potential: *Low*

Coverstock: *Clear Polyester*

Color: *Blue Sparkle*

Hardness: *85-87 on D-Scale*

## CONDITION.

This ball is ideal for spare shooting. However, even though it is polyester, there could be times when it could also be used as a strike ball. Especially on those extremely high friction lane conditions.

Lane Condition - **ALL**



The ball path represents Roto Grip's bowling ball tester. Ask your pro shop professional how this ball will work for you.



## HOW TO KEEP YOUR NEW BALL REACTING STRONG

We strongly believe that preventative maintenance is the key to a cover's longevity.

WHY? The ball's ability to absorb lane oil into the pores helps to keep a dry ball surface in contact with the lane for more friction, creating added hook. Over a period of time, the bowling ball's performance will slowly deteriorate due to oil absorption and dirt build up on the ball's surface.

In addition to using a clean and dry Roto Grip Shammy in competition, we highly recommend that a bowling ball cleaner be used immediately afterward to further clean the ball's cover. If a ball is used and then put away without cleaning, the oil and dirt will have a greater chance to be absorbed deeper into the cover.

We hear time and time again from people who have lost hook in their equipment and swear they clean it on a regular basis. Only when the question is asked about when they clean their equipment does the real problem come to light; cleaning a ball just before use removes only a very fine layer while the deeper trapped oil and dirt still remain from your last session. Below is our recommended procedure to maintain your ball's performance:

1. Use a clean, dry Roto Grip Shammy during competition
2. At the end of the session, use Storm Reacta Foam™ and spray liberally over the entire surface of the ball
3. Rub your hands over the surface of the ball in a scrubbing motion for 15-20 seconds
4. Towel off the ball until dry

This process will assist the degreasing agent in the cleaner to draw oil and dirt out of the pores; the hand-action helps break down the oil and dirt, making it easier to be removed with a towel.

### Ball Maintenance Checklist

WHEN	POLISHED BALLS	DULL BALLS
<i>Between Shots</i>	<i>Wipe with Roto Grip Shammy</i>	<i>Wipe with Roto Grip Shammy</i>
<i>After Bowling</i>	<i>Clean with Storm Reacta Foam</i>	<i>Clean with Storm Reacta Foam</i>
<i>Every 10 Games</i>	<i>Re-polish surface with Storm Reacta Shine™</i>	<i>Scuff surface with Abralon® pad to maintain original reaction</i>
<i>Every 30 Games</i>	<i>Scuff surface with Abralon and re-polish with Storm Reacta Shine</i>	
<i>Every 60 Games</i>	<i>Ball is due for full resurface process</i>	

FOR MORE INFORMATION BE SURE TO CHECK OUT [ROTOGRIP.COM](https://www.rotogrip.com)

AND FOR MORE INFORMATION ABOUT OUR AWESOME APPAREL & ACCESSORIES  
BE SURE TO CHECK OUT [ROTOGEAR.COM](https://www.rotogear.com)